

# COVID-19 Operating Protocols for the Fishing Sector in the Pacific

Minimising the risk of transmitting COVID-19 in the  
fisheries sector at sea and in ports in the Pacific



## Version History

Version	Date	Comments	Contact
0.1	21 07 2020	Draft developed by PNAO/OTP sent to COVID-19 SOP steering group (PNAO/SPC/FFA)	L Brierley (OTP)
0.2	23 07 2020	Draft developed by OTP sent to PNAO and FFA for input	L Brierley (OTP)
0.3	30 07 2020	Input from PNAO, SPC, FFA, and OTP CHS	L Brierley (OTP)
0.4	03 08 2020	Input from PIFS and MRAG, with further input from PNAO and SPC	L Brierley (OTP)
0.5	04 08 2020	Input from MRAG, PNAO and CHS	L Brierley (OTP)
1.0	05 08 2020	Working draft for small group and industry input	T Tupou (FFA) M Brownjohn (PNA)
2.0	13 08 2020	Input from AFMA. Comments from NZ and Tokelau. Further input from CHS, SPC, and PNAO	T Tupou (FFA) M Brownjohn (PNA)
3.0	21 08 2020	Input from Australia, Cook Is, Solomon Is. Final input from OTP, FFA, SPC and PNAO	T Tupou (FFA)
3.1	28 08 2020	Revision from NZ to contacts	T Tupou (FFA)
3.2	02 09 2020	Add flowcharts (from PNAO) and supplementary posters	T Tupou (FFA) M Brownjohn (PNA)
4.0	12 03 2021	Updated based on recommendations from first review. Included a section on COVID-19 Testing and Vaccination, and Compliance Inspections.	D Power (OTP) Y Fepuleai (FFA)
4.1	17 03 2021	Input from PNAO and formatting.	M Brownjohn (PNA) D Power (OTP)

These protocols were developed by the Fisheries COVID-19 Protocols Steering Committee, led by Australia's Office of the Pacific (OTP), DFAT, and including the Office of the Parties to the Nauru Agreement (PNAO), the Forum Fisheries Agency (FFA), the Pacific Community (SPC), the Indo-Pacific Centre for Health Security, and MRAG Asia Pacific. These protocols represent a collaborative effort informed by technical experts from regional agencies, FFA Members and the Pacific fishing industry. The Fisheries COVID-19 Protocols Steering Committee acknowledges the close cooperation and commitment by all involved amidst these challenging times to ensure minimise the risk of infection and the resilience of the Pacific fishing sector during the COVID-19 pandemic.

# COVID-19 Operating Protocols for the Fishing Sector in the Pacific

*Minimising the risk of transmitting COVID-19 in the fisheries sector at sea and in ports*

The following protocols have been developed to assist and guide the fishing sector, flag States, coastal and island State governments manage the health and economic impacts of COVID-19 on the fishing industry in the Pacific islands region. These protocols seek to guide practices that prevent the transmission of COVID-19 on and between fishing vessels and at port, and offer protection for both the ships' crew and local populations at port.

These protocols are drawn from guidance provided by international organisations, including recommendations from the World Health Organization (WHO), the International Maritime Organization (IMO), The Pacific Community (SPC) and the Pacific Islands Forum. With technical support from PNAO, FFA, DFAT and industry partners

**The protocols have been divided into two different categories:**

1. General COVID-19 Risk Mitigation Protocols that all involved in vessel operations (including vessel crew, stevedores, authorities, technicians etc.) should practise each day (e.g. appropriate hand hygiene and correct sneeze/cough etiquette) for all activities; and
2. Activity-specific COVID-19 Risk Mitigation and Control Protocols that should be implemented in the course of routine fishing operations, annexed to this document

These protocols are designed as an overarching guide to health and safety, and presented as minimum operating standards to guide national laws as relevant to fishing sector operations in the Pacific. These protocols may be used by Members of the Pacific Island Forum Fisheries Agency or flag and coastal states that operate in the region to guide development of national orders related to the fisheries sector under State of emergency legislation or policy related to the COVID-19 pandemic.

**In the event of any differences, national regulations and directions take precedence over the protocols described in this document.** All fishing operations must comply with terms of licence and national regulations. Operations must also follow directions provided by national authorities in zone, or by flag states and Regional Fisheries Management Organisations (RFMO) in high seas.

**Protocols Review Process:** these Protocols are considered a live document and will be monitored continuously by the Fisheries COVID-19 Protocols Steering Committee (jointly led by the FFA and PNAO) and updated as circumstances change. If not updated sooner, the Steering committee will review the protocols at least every six months. The final draft following each review will be circulated to stakeholders including the FFA members (through the FFA), industry (through the PNA) and health practitioners (through SPC) for a final review prior to finalising.

The first scheduled review of the protocols was completed in March 2021 and included additional guidance on COVID-19 testing and vaccination. These will be monitored and updated as the availability of vaccines and associated advice is updated.

## Contents

<b>COVID-19 Operating Protocols for the Fishing Sector in the Pacific</b>	<b>1</b>
<b>General COVID-19 Risk Mitigation Protocols</b>	<b>6</b>
1: Maintain good personal hygiene.....	6
2: Practise physical distancing on board vessel .....	7
3: Maintaining, cleaning and disinfecting surfaces on the vessel .....	7
4: Regular health checks .....	8
5: Monitoring vessel contact.....	9
6: COVID-19 Testing and Vaccination .....	9
<b>Activity-specific COVID-19 Mitigation Protocols</b>	<b>10</b>
<b>FLOW CHART - AT SEA [PORT TO PORT] WITH PROTOCOL ANNEX REFERENCES</b> .....	<b>11</b>
<b>FLOW CHART - IN PORT WITH PROTOCOL ANNEX REFERENCES</b> .....	<b>12</b>
ANNEX 1: VESSEL ENTERING PORT .....	13
ANNEX 2: VESSEL COMPLIANCE INSPECTIONS IN PORT AND SEA.....	15
ANNEX 3: TRANSHIPPING CATCH .....	18
ANNEX 4: BUNKERING .....	19
ANNEX 5: UNLOADING AND CONTAINERISATION OF CATCH AT PORT .....	21
ANNEX 6: BOARDING A VESSEL .....	23
ANNEX 7: DISEMBARKING A VESSEL.....	25
ANNEX 8: ONSHORE REPAIR/MAINTENANCE .....	28
ANNEX 9: REPROVISIONING .....	29
ANNEX 10: MANAGEMENT OF COVID-19 CASES ON BOARD FISHING VESSELS .....	30
<b>APPENDIX 1: DEEP CLEANING A VESSEL</b> .....	<b>34</b>
<b>APPENDIX 2: STANDARDS FOR PPE, MEDICAL EQUIPMENT, AND DISINFECTANTS</b> .....	<b>36</b>
<b>APPENDIX 3: LIST OF HEALTH CONTACTS FOR PACIFIC ISLAND COUNTRIES AND REGIONAL AGENCY CONTACTS</b> .....	<b>40</b>
<b>APPENDIX 4: CREW HEALTH SELF-DECLARATION FORM</b> .....	<b>45</b>
<b>APPENDIX 5: SUPPLEMENTARY POSTERS</b> .....	<b>47</b>
<b>APPENDIX 6: VALID COVID-19 TESTS</b> .....	<b>57</b>

## General COVID-19 Risk Mitigation Protocols

All vessel operators and crew have the responsibility to practise the following protocols routinely **at all times** to mitigate the spread of COVID-19.

Mitigation Principles	Protocols
<p>1: Maintain good personal hygiene<sup>1</sup></p>	<ul style="list-style-type: none"> <li>• <b>Avoid touching your face</b> (especially eyes, nose and mouth) at all times, and wash hands thoroughly with soap and water after doing so.</li> <li>• <b>When coughing and sneezing, cover your nose and mouth with a tissue or do so into your elbow.</b> Throw tissues into a closed bin immediately after use, wash your hands with soap and water for at least 20 seconds, then dry thoroughly.</li> <li>• <b>Regularly clean your hands thoroughly with soap and water</b> or, alternatively, with an alcohol-based hand rub (&gt; 60% ethanol) for at least 20 seconds, then dry them thoroughly:             <ul style="list-style-type: none"> <li>- after coughing or sneezing</li> <li>- before and after caring for a sick crew member</li> <li>- before, during and after preparing food</li> <li>- before eating</li> <li>- after toilet use</li> <li>- after touching common surfaces, e.g. door handles, tables, railings, navigation panels, etc.</li> <li>- After taking out the garbage or collecting empty garbage bins</li> <li>- After getting off public transport and upon entering vessel</li> </ul> </li> <li>• Place posters around handwashing facilities, to show how to correctly wash and dry hands.</li> <li>• Ensure that there is adequate liquid soap and paper towels for drying hands, by each communal handwashing facility.</li> </ul> <p>If hands are not dried completely, good hygiene will not be achieved, and the hand washing will be ineffective.</p>

<sup>1</sup> International Chamber of Shipping, Guidance for Ship Operators for the Protection of the Health of Seafarers, <https://www.ics-shipping.org/docs/default-source/resources/covid-19-guidance-for-ship-operators-for-the-protection-of-the-health-of-seafarers-v2.pdf?sfvrsn=4>

<p>2: Practise physical distancing on board vessel<sup>2</sup></p>	<ul style="list-style-type: none"> <li>• <b>Physical distancing measures (keeping at least 1 metre apart) should be maintained at all times</b>, where possible, avoiding direct contact with other people.</li> <li>• <b>Appropriate personal protective equipment (PPE) should be worn</b> (see Annex 12A for further guidance), including: <ul style="list-style-type: none"> <li>- Medical or fabric face masks at all times when in communal areas</li> <li>- Disposable gloves when handling tools and equipment</li> </ul> </li> <li>• Ensure daily work and tasks are assigned to the crew to minimise contact and proximity with other crew to the extent possible</li> <li>• Spend time outside on deck when possible, with face mask on, maintaining recommended &gt; 1 m physical distance from other crew.</li> </ul> <p>Self-isolate if unwell, and seek medical advice.</p>
<p>3: Maintaining, cleaning and disinfecting surfaces on the vessel<sup>3</sup></p>	<ul style="list-style-type: none"> <li>• Ensure cabin/personal living areas, common room tables, tools and equipment and commonly touched surfaces (e.g. door handles, taps, light switches) are <b>wiped down at least once a day, with an appropriate disinfectant</b>, as the virus can survive on different surfaces between 3 – 72 hours.<sup>4</sup> <ul style="list-style-type: none"> <li>- See Annex 12C for guidance on disinfectant equipment standards.</li> <li>- Surfaces should always be cleaned with soap and water or a detergent to remove organic matter first, followed by disinfection.</li> </ul> </li> <li>• <b>Cleaners should wear adequate PPE</b> (see Annex 12A for further guidance) and be trained to use it safely, including proper disposal in a closed lined waste bin, followed immediately by washing hands thoroughly with soap and water for at least 20 seconds and drying hands completely. <ul style="list-style-type: none"> <li>- Appropriate PPE should be worn during the cleaning process.</li> <li>- All reusable cleaning cloths should be washed immediately in hot soapy water, before drying.</li> </ul> </li> </ul> <p>Port states may require a deep clean as part of their COVID19 management regimes. <b>‘Deep clean’</b> refers to a cleaning and sanitising regime that is more thorough and extensive than current procedures with a focus on surfaces that may have been exposed to the COVID-19 virus.<sup>5</sup> See Appendix 1 for further details, and Appendix 2 for guidance on disinfectant equipment standards.</p>

<sup>2</sup> Communicable Diseases Network Australia, Coronavirus Disease 2019 (COVID-19) National Guidelines for Public Health Units (v 3.5, last updated 24 July 2020): [https://www1.health.gov.au/internet/main/publishing.nsf/Content/7A8654A8CB144F5FCA2584F8001F91E2/\\$File/COVID-19-SoNG-v3.5.pdf](https://www1.health.gov.au/internet/main/publishing.nsf/Content/7A8654A8CB144F5FCA2584F8001F91E2/$File/COVID-19-SoNG-v3.5.pdf)

<sup>3</sup> WHO Guide to Ship Sanitation, 3rd Ed. 2011

<sup>4</sup> Up to three hours on aerosols, up to four hours on copper, up to 24 hours on cardboard and up to 72 hours on plastic and stainless steel. Source: New England Journal of Medicine

<sup>5</sup> Australian Joint Food Regulation System (2020) ‘Additional Cleaning and Sanitising for Food Businesses in Response to COVID-19 Exposure’ (accessed 5 August 2020, available [here](#)).

4: Regular health checks

- **All vessel personnel should be informed of common symptoms of COVID-19** (fever, cough, sore throat, shortness of breath, loss of smell, loss of taste—see Annex 10 for further details) and asked to monitor and report any of these symptoms immediately to the Captain.
  - Any crew member with a fever and/or respiratory symptoms should be isolated immediately, and managed as a suspected COVID-19 case.
  - The Captain or vessel owner should be advised immediately of any cases of illness exhibited by crew.
- **In the first instance, Captains or vessel owners should report any COVID-19 symptoms on board to relevant flag, coastal, and port State health authorities** (see Appendix 3 for contact details for Pacific island countries), and seek further guidance. Relevant fisheries authorities, as contacted during routine fishing operations, should also be advised. Relevant authorities are:
  - Authorities of the port state the vessel is intending to travel to; and
  - Authorities of the country that the vessel is currently in (if in a country's exclusive economic zone).
- **The Captain or vessel owner should ensure sufficient quantity of non-contact infrared thermometers or thermal scanners on board.** See Annex 12B for further guidance on medical equipment standards.
- **All crew should have their temperature taken at consistent 24-hour intervals** (by designated on board medical officer):<sup>6</sup>
  - On board medical officer should be wearing appropriate PPE (including a medical face mask and gloves; see Annex 12A for further guidance);
  - If crew have a high temperature ( $\geq 37.5^{\circ}\text{C}$ ), re-take temperature 1 hour later to confirm.
  - If a high temperature is confirmed, proceed with isolation measures described in Annex 10.
- The Captain or vessel owner should maintain a securely stored **confidential logbook** recording temperature readings and any symptoms of COVID-19 against each crew member's name.<sup>7</sup>

The Captain or vessel owner should provide information to health authorities at the next port of destination before arrival<sup>8</sup>

<sup>6</sup> THE PNA FIMS app provides a tool to monitor crew lists and daily temperatures with the ability to send alerts to authorities and the company for out of range temperatures.

<sup>7</sup> Date and time of test should be recorded for all crew members by most senior crew-member, and provided to Captain for secure storage

<sup>8</sup> World Health Organization, International Health Regulations 2005, Handbook for management of public health events on board ships.



<p>5: Monitoring vessel contact</p>	<ul style="list-style-type: none"> <li>• <b>Generally, vessels having no contact with another vessel, and being symptom-free, for at least 14 days before interacting with other vessels or with other fishing operations:</b> <ul style="list-style-type: none"> <li>- For example, before entering port, or prior to transshipment or bunkering.</li> <li>- Exceptions may apply (see Annex 1: Vessel entering port).</li> </ul> </li> </ul> <p><b>Vessels to maintain details of contact with other vessels while at sea (e.g. for transshipment or bunkering).<sup>9</sup></b></p>
<p>6: COVID-19 Testing and Vaccination</p>	<ul style="list-style-type: none"> <li>• <b>As testing is now widely available, vessel operators should ensure that crew must provide proof of a negative COVID-19 Polymerase Chain Reaction (PCR)* test result from a laboratory.</b> <ul style="list-style-type: none"> <li>- This test must be conducted 72 hours or less prior to the scheduled departure.</li> <li>- Prospective crew members should remain in self-quarantine away from the vessel between taking the test, receiving the test result and embarking the vessel (subject to the negative PCR test result).<sup>10</sup></li> </ul> </li> <li>• <b>Vessel operators should consider encouraging all crew to receive a completed course of an approved COVID-19 vaccine prior to embarking on the vessel.</b> <ul style="list-style-type: none"> <li>- An official COVID-19 vaccination certificate could provide proof of vaccination</li> <li>- The aim of a vaccination program is to not only prevent disease; but also reduce cases of severe illness; and reduce disease transmission</li> <li>- However, vaccination does not replace the need to maintain other preventative measures.</li> </ul> </li> <li>• <b>Vessels using the Industry based FIMS Android app should ensure they complete the COVID-19 check and COVID-19 vaccination data fields and send the data daily to PNA FIMS as required.<sup>11</sup></b></li> </ul> <p>*Only PCR based tests are recognised as valid under these protocols.</p>

<sup>9</sup> The PNA FIMS app provides port states a tool to monitor all vessel proximity interactions prior to port entry including options on prior 14 days +/- and distance between poll on VMS eg 1000m

<sup>10</sup> Only PCR based tests are recognised as valid under these protocols.


<sup>11</sup> This App compliments the Crew temperature app also on Industry FIMS.

## Activity-specific COVID-19 Mitigation Protocols


Annexed to this document are detailed COVID-19 Mitigation Protocols to be implemented in the course of routine fishing vessel operations. Below is a list of activities for which protocols have been provided.

<b>Annex</b>	<b>Fishing activity</b>
<b>1</b>	<b><i>Vessel entering port</i></b>
<b>2</b>	<b><i>Vessel compliance inspections in port and sea</i></b>
<b>3</b>	<b><i>Transshipping catch in port, territorial or high seas</i></b>
<b>4</b>	<b><i>Bunkering</i></b>
<b>5</b>	<b><i>Unloading and containerisation of catch in port</i></b>
<b>6</b>	<b><i>Joining and boarding a vessel</i></b>
<b>7</b>	<b><i>Disembarking a vessel</i></b>
<b>8</b>	<b><i>Onshore repair/maintenance</i></b>
<b>9</b>	<b><i>Reprovisioning</i></b>
<b>10</b>	<b><i>Management of COVID-19 cases on board fishing vessels</i></b>

**FLOW CHART - AT SEA [PORT TO PORT] WITH PROTOCOL ANNEX REFERENCES**



FLOW CHART - IN PORT WITH PROTOCOL ANNEX REFERENCES



## ANNEX 1: [VESSEL ENTERING PORT](#)

All persons involved in a vessel's entry into port need to practise the *General COVID-19 Mitigation Protocols* (see above) in addition to any port State requirements. However, there are minimum standards that all vessels should practise.<sup>12</sup>

### BEFORE ENTERING PORT

**All vessels arriving at a port must provide all documentation—including a notice of intent to enter port (details below) —required by the port State's local authorities at least 72 hours before intended arrival, or as per the national prescribed timeline requirement.**

Documents should ideally be provided to the relevant port State authorities electronically as required during routine fishing operations. Documents include:

- The captain and crew list of the arriving vessel
- A declaration that no contact with other vessels or ports have occurred within the last 14 days, including:
  - A statement on the last Port of Call:
    - If coming from a foreign port State or has interacted with another vessel, the vessel should demonstrate at least 14 days at sea with no COVID-19 symptoms and with no contact with another vessel prior to entering port.
    - Dispensation at national level may be considered for vessels operating from and returning to the same home port with a domestic licence, where it has not bunkered, transhipped or otherwise interacted with other vessels at sea, e.g. fresh longline vessels.
  - If applicable, details of any proximity contact with other vessels at sea (including the name, date, location, and activity) The FIMS proximity app can independently validate this.
- *Crew Health Self-Declaration Forms* (Appendix 4) for the vessel's entire crew, completed for the day of port entry. The FIMS crew list and 14-day temperature records and COVID 19 vaccination records can be provided via the Industry FIMS app
- If applicable, report any exchange of crew members whilst vessel at sea (supported through FIMS app).
- A confidential record of all crew members' temperature and symptom checks at sea for at least the last 14 days, or for the period of duration at sea, and up to the date of port entry. This may be stored and transmitted to authorities electronically.
- If applicable, a statement of any suspected or confirmed COVID-19 cases on board.
- Other documentation prescribed by the port's state of emergency orders, including data and information from the vessel that may support a Port Entry Risk Assessment.

Failure to provide may result in denial of port entry and access to port services or require alternative mitigation measures to be decided by port State.

---

<sup>12</sup> Procedures drawn from sources including: [ABF: Restrictions on commercial maritime vessels and crew](#); [ICS: Guidance for ship operators for the protection of the health of seafarers](#); [COVID-19 information for the marine industry \(Australian Government Department of Health\)](#)

## WHEN ENTERING PORT

To mitigate risk of COVID-19 transmission on board, the following protocols should be applied to any shore-based person (non-crew) wishing to embark the vessel entering port—including ships pilot, fishery inspectors, and workers in customs, immigration and health:

- Effective vessel security should be maintained at all times to prevent unauthorised personnel boarding or disembarking the vessel.
- Consider protocols to screen non-crew boarding the vessel (e.g. biosecurity officers, immigration, customs, fisheries or marine pilots) by requiring them to complete a screening questionnaire (*Crew Health Self-Declaration Forms*—Appendix 4) or to undergo body temperature measurement at the time of embarkation (most relevant in countries where there are confirmed, probable or suspected COVID-19 cases).
- On-board handwashing facilities with soap should be provided by the vessel and made available to those required to board the vessel. Alcohol-based hand sanitiser may need to be carried by those required to board the vessel.
- Crew should restrict their interaction with non-crew members to those that are critical to the safe operation.
- Crew and non-crew must also use PPE (including face masks) in public spaces on board the vessel. For further details on PPE, see the *General COVID-19 Mitigation Protocols*, above, and Annex 12A for PPE standards.

Refer to all other annexes for specific protocols on fishing activities that may take place in port:

- **Annex 2:** Vessel compliance inspections in port
- **Annex 3:** Transshipping catch in port
- **Annex 4:** Bunkering in port
- **Annex 5:** Unloading and containerisation of catch in port
- **Annex 6:** Joining and boarding a vessel
- **Annex 7:** Disembarking a vessel
- **Annex 8:** Onshore repair/maintenance
- **Annex 9:** Reprovisioning

In the event there is illness or suspected COVID-19 cases on board, refer to Annex 10 for *Management of COVID-19 on board fishing vessels*.

## ANNEX 2: VESSEL COMPLIANCE INSPECTIONS IN PORT AND SEA

All persons involved in compliance/enforcement inspections in port and at sea (both crew and inspection teams) need to practise the *General COVID-19 Mitigation Protocols* (see above) in addition to any port State or authorised inspection vessel requirements. Before boarding, inspections teams should review the subject vessel's port entry documentation to familiarise themselves with the vessel including any COVID-19 related risks. All persons involved in compliance checks of vessels in port and at sea should practise the following protocols.

### BEFORE THE VESSEL COMPLIANCE INSPECTION

#### Documents need to be prepared for inspection:

- Annex 1 suggests the minimum documentation that a vessel intending to **enter port** may be required to provide to the authorities of a port State—ideally electronically, and no less than 72 hours or subject to port State requirement for COVID-19.
- For **at sea** boarding and inspections, the authorised vessel and Inspector are expected to collect information on fishing vessel activities in the region through the use of patrol planning information on all vessels of interest. Pre-boarding questions via radio, and visual observation of vessel activity shall also be used when in contact with a vessel at sea.

**Before undertaking the inspection activity, authorised inspectors should carry out compliance checks and a pre-boarding risk assessment** (using documentation listed above—see Annex 1). Inspectors should evaluate the level of inspection, identify compliance areas of interest and identify potential physical and health risks to inspectors using the SMEAC<sup>13</sup> planning tool.

Listed below are key MCS tools and reports available that Inspectors can use to verify information and conduct a risk assessment of the vessel for a particular fishing trip:

- FFA Vessel Register<sup>14</sup> , PNA vessel register [OVR]<sup>15</sup> and the WCPFC Record of Fishing Vessel<sup>16</sup>
- National and regional fishing license information
- MCS tools, systems and reports (e.g. FFA VMS, Regional Surveillance Picture, RIMF2, PNA-FIMS and weekly VMS reports)
- Vessel report requirements (e.g. zone entry/exit, port entry etc.)
- COVID-19 Vessel Movement Reports
- RFSC<sup>17</sup> Vessel Movement Analysis
- PNA FIMS proximity and other tools

<sup>13</sup> SMEAC - Recognised planning tool in a Compliance environment, document orders and instructions for field operations (Situation, Mission, Execution, Administration, Command)

<sup>14</sup> FFA Vessel Register (Public Access): <http://rimf2.ffa.int/public/goodstanding/list>

<sup>15</sup> PNA vessel register is available through PNA FIMS portal, and purse seine list <https://www.pnatuna.com/Register-Vessels>

<sup>16</sup> WCPFC Record of Fishing Vessels is available at <https://www.wcpfc.int/record-fishing-vessel-database>

<sup>17</sup> Regional Fisheries Surveillance Centre: [rfsc@ffa.int](mailto:rfsc@ffa.int)

- Aerial Surveillance Products

**Immediately before embarking the vessel for inspection,** Inspectors should follow the general pre-boarding protocols (Annex 6), and additionally:

- Boarding inspectors wear PPE [mask and gloves] as a minimum (see Annex 12A for PPE standards).
- Comply with health requirements before embarking a vessel. Inspectors involved in compliance inspection must provide a *Health Self-Declaration Form* (Appendix 4).
- Use the above fisheries occupational health and safety (OHS) risk assessments to develop a search plan for areas of the vessel requiring visual inspections. The search plan shall consider heightened COVID-19 risks in confined spaces such as the accommodation, fishing gear, fish holds, store rooms, kitchen, hidden compartments and Captain’s cabin.
- When in port, ensure health authorities have undertaken clearance of the vessel or provided appropriate management direction.
- Ensure any information required to support the inspection is obtained from the vessel or the operator electronically prior to actual boarding and inspection to save time, and ensure safety and security of Inspectors and the crew.
- Follow health protocols required by the relevant port State, sanitation process (see *General COVID-19 Mitigation Protocols*, above, complete a screening questionnaire (*Crew Health Self-Declaration Forms*—Appendix 4) and have temperature checked prior to boarding the vessel.<sup>18</sup>

A vessel with a suspected or confirmed COVID-19 case on board will not be inspected for fisheries compliance purposes until health authorities provide clearance or appropriate management guidance. Inspectors will, where possible, instead establish radio communication to obtain required information.

## WHEN UNDERTAKING THE VESSEL COMPLIANCE INSPECTION

**Inspectors should:**

- Present themselves to the vessel Master, provide relevant health declaration as the Inspection party and request for and examine vessel documentations.
- Carry alcohol-based hand sanitiser and/or wash hands when in contact with any frequently touched surfaces (including door handles and walls), unless wearing gloves.

**All Inspectors and crew** are required to wear protective clothing and PPE as per the *General COVID-19 Mitigation Protocols* (see also Annex 12A for PPE standards), and inspectors must wear face masks and gloves. All crew must remain on-board at a designated location on the vessel while the vessel is inspected.

## AFTER THE VESSEL COMPLIANCE INSPECTION

<sup>18</sup> As applicable evidence of COVID19 vaccination / PCR testing



Inspectors should follow the general disembarking protocols (Annex 7), and additionally:

- All equipment used during an inspection should be disinfected after each inspection.
- All personnel handling vessel original documentation (e.g. vessel log sheets) are required to wear disposable gloves and face masks.
- All PPE should be disposed of in a designated medical waste location immediately upon disembarkation (see further, Annex 12A).

#### ADDITIONAL STEPS WHERE A VESSEL IS DETAINED IN PORT

Additional COVID-19 mitigation measures and safety precautions need to be considered if it is determined that a vessel needs to be detained following a compliance inspection. Options for detaining the vessel for further investigation shall be considered in conjunction with local COVID-19 Quarantine and Management for incoming crew. Inspectors shall also consider:

- Designating a quarantined dock at port, securely fenced with appropriate security (Annex 5)
- Informing local health authorities of the detention of the vessel and the health of the crew.
- Applying quarantine arrangements on the seized vessel, which may include a quarantine period.
- Prioritising health and quarantine measures before further investigation of crew and evidence collection from the vessel for fisheries offences.

**In the event there is illness or suspected or confirmed COVID-19 cases on board, refer to Annex 10 for *Management of COVID-19 on board fishing vessels*.**

## ANNEX 3: [TRANSHIPPING CATCH](#)

**These protocols apply to the transshipment of any catch either in port or at sea.**

All persons involved in transshipment must practise the *General COVID-19 Mitigation Protocols* (see above) in addition to the measures described below:

### BEFORE TRANSHIPPING CATCH

**The vessel should:**

- Demonstrate at least 14 days at sea with no one on-board having COVID-19 symptoms if the vessel is coming from a foreign port State, or has interacted with another vessel whilst at sea.
- (If possible) implement technological solutions that reduce the need for face-to-face interaction and that collects information or data for reporting (e.g. using camera/video recorders) to replace and/or reduce personnel physical interaction when transshipping.

### WHEN TRANSHIPPING CATCH

**Generally, crews should:**

- Sanitise their hands before and after any involvement in the transfer of catch between vessels. If possible, use personal gloves when handling catch and do not share gloves.
- Sanitise any items handled without protective equipment (i.e. pens, folders, etc.) before and after use.

**Crew should minimise face-to-face contact by:**

- Prohibiting interaction between the two vessels' crew where possible.
  - Where interaction between crew and non-crew is required (e.g. when passing loading papers), both should wear PPE (including gloves and face masks; see Annex 12A for PPE standards) and maintain 1 m distance as far as possible.
- Maintaining a strict exclusion zone of 500 m around all vessel operations whether in port or at sea to avoid contamination to/from other vessels and coastal communities. This includes a total ban on bartering/trade of supplies and services.
  - When at port, this strict exclusion zone should be maintained 500 m seaward of the wharf area boundary.

## ANNEX 4: [BUNKERING](#)

**When you are bunkering in port or at sea**, all persons need to practise the *General COVID-19 Mitigation Protocols* (see above) in addition to the measures described below. These bunkering protocols also supplement routine bunkering industry standard operating procedures.

Where relevant, bunkering staff must also generally follow protocols for:

- Joining and boarding a vessel (**Annex 6**)
- Disembarking a vessel (**Annex 7**)

If bunkering in port, vessels will already be subject to port entry requirements (Annex 1).

*Best-practice industry guidance for fuel tankers and fishing vessels recommends no physical contact during bunkering.* However, these protocols include a more precautionary provision in the case that physical contact is required and where available industry guidelines are not followed rigidly.

### BEFORE BUNKERING

#### **Both vessels should:**

- Ensure that the tanker vessel has been at sea for 14 days (without anyone having COVID-19 symptoms) prior to the first bunker.
- Ensure that all other vessels with whom the vessel bunkers should have been at sea for 14 days without anyone having COVID-19 symptoms.<sup>19</sup>
- Communicate all administrative matters through electronic means (email, phone, internet etc.).
- Disinfect the bunker station beforehand (including the flanges, ends of bunker hoses, valve handles, handrails, slings and platforms) along with drip sample equipment.
- Ensure that the receiving vessel should provide their hose sling for the hoisting of hoses and disinfect them.
- Ensure that non-crew members involved in bunkering are restricted to designated areas under hygienic control and with PPE.
  - Vessel crew not involved in bunkering isolate themselves if non-crew members are on-board. Clear marking and tagging should be put in place as physical barriers to maintain isolation distances for non-bunker staff from bunker persons
- Clean and disinfect gangways, handrails and access areas.  
Design bunkering operation without person-to-person physical contact, where possible.

### WHEN BUNKERING

#### **Vessel crew involved in all bunkering operations should:**<sup>20</sup>

<sup>19</sup> Exceptions may be granted under domestic policy for domestic vessels departing from and returning to the same COVID19 free port

<sup>20</sup> Safety4Sea Website (2020), 'Safe bunkering operations during COVID-19' (accessed 23 July 2020, see [here](#)).

- Where possible, bunker operation vessels with safety distances of 60 m minimum.
- As much as possible, use vessel derricks to hoist hoses and samples etc. to avoid use of gang ways.
- Disinfect ends of bunker hoses and flanges, slings as soon as hoses are swung aboard.
- Use electronic communications when bunkering and in reporting sample testing results:
  - Results should be communicated to the vessel by tanker or shore facility electronically (email, phone etc.).
- Disinfect filled sample bottles before they are handed over, and wear PPE (including masks, goggles and gloves) when handing over.
- Disinfect the hose sling upon completion of cargo discharge and lowering of the hose.
  - For cargo discharge operations on shore, the hose should be disinfected by vessel crew and lowered to the dock apron. Hose should be placed on hose trolleys, and the vessel crew should disinfect the operational hose/hoses handled by ship staff.
- Wear PPE if physical contact is required (including face masks, goggles, and gloves, disposal coverall from head to toe; see Annex 12A for PPE standards).
- Manage administrative processes electronically where possible.
  - If print copies needs to be physically exchanged, crew should sanitise hands and wear appropriate PPE prior to handling.<sup>21</sup>
  - Bunker delivery receipts may be delivered by plastic sealed bags by roping between tankers and fishing vessels.

**After bunkering, crew members who bunkered should:**

- Launder coveralls.
- Disinfect the bunker station.

---

<sup>21</sup> Australian Government Pacific Corridor, Protocols for Mitigating the Spread of COVID-19 Through Goods

## ANNEX 5: UNLOADING AND CONTAINERISATION OF CATCH AT PORT

**When you are unloading and/or containerising catch at port**, all persons need to practise the *General COVID-19 Mitigation Protocols* (see above) **and** follow protocols for *Vessel Entering Port* (Annex 1) in addition to the measures described below:

### BEFORE UNLOADING AND CONTAINERISING CATCH AT PORT

#### **Port managers should:**

- Designate a quarantined dock at port, securely fenced with appropriate security (e.g. CCTV, security guards) to ensure no unauthorised entry or exit.
- Secure the unloading/containerisation area 24 hours prior to vessel arrival.<sup>22</sup>
- Sign stevedores onto the wharf and take temperature records along with contact details for each worker, upon entry.
- Inform local health authorities of any worker denied access on grounds of ill health.

Port managers and the shore side operation should set up suitable processing lines for sorting catch during containerising operations and off-loading to minimise the risk of COVID-19 spread.

#### **Sorting lines should:**

- Keep workers > 1 m apart in all directions, reducing density of people in the workplace (suggested 1 person per every 4 m<sup>2</sup>);
- Have markings and signs to remind workers to maintain their location at their station away from each other and practice social distancing on breaks;
- Have physical barriers to separate workers from each other where possible;
- Have adequate ventilation to reduce workers' potential exposures;<sup>23</sup>
- Have access to soap and water or hand sanitisation liquids; and
- Have access to PPE (including face masks and gloves; see *General COVID-19 Mitigation Protocols*, above and Annex 12A for PPE standards), and facilities to dispose of PPE.


An ideal setup to containerise and unload catch is as follows:<sup>24</sup>

---

<sup>22</sup> Australian Government Pacific Corridor, Protocols for Mitigating the Spread of COVID-19 Through Goods

<sup>23</sup> US Government Center for Disease Control, Protecting Seafood Processing Workers from COVID-19.

<sup>24</sup> <https://www.cdc.gov/coronavirus/2019-ncov/images/community/seafood-processing-workstation-alignments.png>



### Vessel operators should:

- Communicate their requirements and expectations to all anticipated shore-based entities or personnel through the port agent.<sup>25</sup>

## WHEN UNLOADING AND/OR CONTAINERISING CATCH AT PORT

### All personnel, including vessel crews and stevedores/wharf-side, should:

- Where possible, use machinery/mechanical loading when unloading catch from vessel to container (e.g. by conveyer). Crew may swing fish to shore to minimise contact between shore and boat crew.
- Prohibit stevedores from boarding the vessel or crew leaving the vessel and keep the gangplank/gangway on board.
- Sanitise high-contact areas, e.g. door handles, railing, gangway, as appropriate etc.
- Manage administrative processes electronically where possible. If paper needs to be physically exchanged, crews should sanitise hands prior to handling or wear disposable gloves.<sup>26</sup>

<sup>25</sup> International Chamber of Shipping, Guidance for Ship Operators for the Protection of the Health of Seafarers, <https://www.ics-shipping.org/docs/default-source/resources/covid-19-guidance-for-ship-operators-for-the-protection-of-the-health-of-seafarers-v2.pdf?sfvrsn=4>

<sup>26</sup> Australian Government Pacific Corridor, Protocols for Mitigating the Spread of COVID-19 Through Goods

## ANNEX 6: [BOARDING A VESSEL](#)

No one should board a vessel if experiencing any signs of illness, and should seek medical assistance and report to authorities.<sup>27</sup>

All persons involved in crew changes, technician and observer placements in port need to practise the *General COVID-19 Mitigation Protocols* (see above) in addition to any port State requirements and the protocols below, where they do not conflict with port State requirements.<sup>28</sup>

### BEFORE JOINING OR BOARDING A VESSEL

#### Generally, personnel should:

- Where possible, maintain temperature and COVID-19 symptom daily records 72 hours prior to the day of embarkation.
- As applicable, provide evidence of COVID-19 vaccination or PCR testing within 72 hours prior to boarding having self-isolated post-test.
- Avoid close contact and non-essential interaction with other personnel (including other seafarers) at all times during the transit from home to the vessel.
- When travelling from home to embarkation, wear PPE (including face masks and gloves; see Annex 12A for PPE standards) as instructed.
- Carry and handle own luggage or ensure luggage is disinfected in a designated area prior to embarking.
- Follow orders of local authorities to comply with any COVID-19 testing required and/or movement through any special zones for transfer to the port.
  - Agents should time transfers for direct boarding in port.
- Keep all relevant documents required for the travel in a bag or compartment that can be easily accessed and disinfected later.
- Seek or be provided with appropriate transport to move from home to the vessel, consistent with local authorities' requirements.
  - In some cases, this may involve several countries and protocols—for example, for transfer by air.
  - Where possible avoid public transport, including buses, trains, planes and ferries by using transport arranged by local authorities or using private transfers.
  - With limited air services, chartered flights should be preferable and for fleets to coordinate transfers.
  - Depending on local authorities' quarantine arrangements, try to avoid hotel accommodation in transit.
  - If practical, use the ships' helicopter to transfer between the airport runway and the vessel to avoid travel through public areas.

---

<sup>27</sup> Australian Government Department of Health, COVID-19 Information for the Marine Industry

<sup>28</sup> Procedures drawn from sources including: IMO Circular Letter No. 4204/Add. 14; [ABF: Restrictions on commercial maritime vessels and crew](#); [ICS: Guidance for ship operators for the protection of the health of seafarers](#); [COVID-19 information for the marine industry \(Australian Government Department of Health\)](#)

**If spending time at airport(s) and on aircraft (whether on domestic or international flights) beforehand, personnel should:**

Depart with sufficient PPE to last for the duration of transportation—do not depend on PPE to be available in transit.

- Comply with any local quarantine arrangements for transiting passengers.
  - This may include a period of quarantine at a designated facility upon arrival at each stage.
- Comply with any infection control measures as required by local authorities, airport staff and airlines/cabin crew in each country.
  - This may include the wearing of PPE (e.g. masks at the airport and in flight).
- Comply with any special measures for security, customs, immigration and border controls applicable to transiting, including any designated areas/floor markings at the airport.

**If transferring from another vessel at sea, personnel should:**

- Ensure the vessel delivering crew has been at sea without other contacts for at least 14 days.
- Receive temperature and symptom records for at least the previous 14 days showing no COVID-19 symptoms from the other vessels' crew.
- Ensure there are no suspected, probable or confirmed COVID-19 cases on board.
- Provide evidence of any COVID-19 vaccination or PCR testing completed prior to the initial boarding.
- Follow the same boarding protocols as below.

## WHEN JOINING OR BOARDING A VESSEL

**Generally, personnel should:**

- Report if contact has been made with any known COVID-19 cases and any domestic or international travel to countries reporting community transmission of cases in preceding 14 days.
- Inform relevant local personnel if they are experiencing any symptoms of COVID-19 or suspected illness.
- Launder clothing worn during transit and clothing to be worn on board.
- Maintain at least 1 m from other persons to the extent possible during embarkation.
- Ensure PPE is appropriately disposed of immediately after embarkation (see Annex 12A) followed by thorough handwashing and drying.

**In the case of an observer being placed** by the Port Placement officer, the placement officer should follow the same boarding protocols.

**In the case of Authorised Inspectors inspecting the vessel**, officers should follow the same boarding protocols along with additional protocols in Annex 2 (vessel compliance inspections in port and sea).



## ANNEX 7: DISEMBARKING A VESSEL

All persons involved in crew and observer exchanges in port need to practise the *General COVID-19 Mitigation Protocols* (see above) in addition to any port State requirements and the protocols below, where they do not conflict with port State requirements.<sup>29</sup>

Though applicable to other personnel, Annex 7 protocols apply in particular to:

- Observers
- Crew
- Disembarking observer placement officers
- Technicians who board a vessel in port for specific functions and then leave

**When transferring to another vessel at sea**, the receiving vessel should treat the joining crew/personnel as per Annex 6, and the supplying vessel apply these protocols (Annex 7).

### BEFORE DISEMBARKING A VESSEL

**Generally, personnel should:**

- Provide documentation to local authorities if required (electronically where possible).
- Receive information from local authorities, airlines, airports and seaports with regard to any COVID-19 Mitigation Protocols.
  - this may include information about special entrances, areas or zones to be used at the seaport, airport, use of PPE.
- Demonstrate at least 14 days at sea with no persons on board showing symptoms of COVID-19:
  - Observer placement officers, fishery inspectors and technicians who boarded in the same port are exempted from the 14-day clauses.
  - For unforeseen repairs required onshore, an exemption of the 14-day clause may also apply and due consideration of appropriate management arrangements should be given subject to local health authority advice.
- Have their temperature and symptoms checked once daily and keep records for at least 14 days before disembarkation.
- Be healthy before disembarkation from the vessel. Crew are to inform the responsible officer if they show any COVID-19 symptoms.
- Where possible have a PCR negative result within 72 hours disembarkation.
- Where applicable, provide evidence of valid COVID-19 vaccination(s).

---

<sup>29</sup> Procedures drawn from sources including: IMO Circular Letter No. 4204/Add. 14; [ABF: Restrictions on commercial maritime vessels and crew](#); [ICS: Guidance for ship operators for the protection of the health of seafarers](#); [COVID-19 information for the marine industry \(Australian Government Department of Health\)](#)

## WHEN DISEMBARKING A VESSEL

### Generally, personnel should:

- Avoid close contact and non-essential interaction with other personnel (including other seafarers) during disembarkation, ideally maintaining a distance of at least 1 m from other persons.
- Wear PPE as instructed, and ensure proper disposal after disembarking (see Annex 12A), followed immediately by thorough handwashing and drying.
- Carry and handle their own luggage or ensure luggage is disinfected in a designated area immediately upon disembarking, including tools for technicians and observers.
- Keep all relevant documents required for the travel to the country and place of ordinary residence in a plastic, zip-lock bag or compartment that can be easily accessed and disinfected later.
- Practise *General COVID-19 Mitigation Protocols*, and especially avoid close contact and non-essential interactions with port personnel and other crew.
- Present for screening in accordance with any vessel protocols to verify they are ready for disembarkation and travel, such as having temperature taken and recorded immediately prior to disembarking.
- Follow orders of local authorities to comply with any COVID-19 testing required and/or movement through any special zones for departure from the port.
- Launder clothing worn during transit since disembarking on arriving at the final destination.

## AFTER DISEMBARKING A VESSEL

### When in port, personnel should:

- Be provided with appropriate means of transport to move from vessel to port to next destination, consistent with local authorities' requirements.
  - This may include avoiding public transport; using transport arranged by local authorities or using private transfers.
- Stay on board the vessel if possible to connect directly with any flights to avoid hotel accommodation, depending on local authorities' quarantine arrangements.
- Comply with local COVID-19 management requirements, including where crew disembarks at the home port and where a self-quarantine period of 14 days is required—even though the crew have been at sea 14 days since last contact.

### When time is spent at airport(s) and on-board aircraft (whether on domestic or international flights), personnel should:

- Comply with any local quarantine arrangements for transiting passengers.
  - This may include a period of quarantine at a designated facility upon arrival at each stage.
- Comply with any infection control measures as required by local authorities, airport staff and airlines/cabin crew in each country.
  - This may include the wearing of PPE (e.g. masks at the airport and in flight).

- Comply with any special measures for security, customs, immigration and border controls applicable to transiting.
  - This may include using designated areas/floor markings at the airport.

**Generally, for travel from airport to place of ordinary residence, personnel should:**

- Be provided with appropriate means of transport to crew to facilitate arrival at place of ordinary residence, consistent with local authorities' requirements.
  - This may include avoiding public transport, using transport arranged by local authorities, or using private transfers.
- Avoid close contact and non-essential interaction with other people (including other seafarers), ideally maintaining a distance of at least 1 m from other persons
- Carry and handle their own luggage.
- Keep all required documents for the travel to the country and place of ordinary residence in a bag or compartment that can be easily accessed and disinfected later.
- Provide all required documentation for verification and inspection if requested.
- Launder all clothes and wash thoroughly with soap upon arrival at residence.

**For time spent at place of ordinary residence immediately after repatriation, crew should:**

- Comply with any local quarantine arrangements, which may include a quarantine period at a designated facility.
- Maintain temperature and symptom checks every 24 hours.
- Inform relevant local authorities, port authorities, and vessel if they are experiencing any symptoms of COVID-19.

## ANNEX 8: [ONSHORE REPAIR/MAINTENANCE](#)

All persons involved in a vessel's onshore repair/maintenance need to practise the *General COVID-19 Mitigation Protocols* (see above) in addition to any port State requirements. However, there are minimum standards that all vessels should practice when involved in onshore repair/maintenance, **and Annex 8 applies in particular when on the wharf:**<sup>30</sup>

- These Annex 8 protocols complement protocols for unloading (Annex 5) and provisioning (Annex 9).
- On board, apply Annex 6 (Joining and boarding a vessel) and Annex 7 (Disembarking a vessel).
- Port State requirements also apply to crew that disembark and non-crew marine industry staff required for completing the repairs and maintenance.

### WHEN UNDERTAKING ONSHORE REPAIR/MAINTENANCE

Crew must take the following steps to minimise the risk of spreading COVID-19:

- Remain as close to the vessel as reasonably possible.
- Maintain physical distancing, to the extent possible, from others not from the ship
- Wear appropriate PPE (including face masks and gloves; see Annex 12A for PPE standards).
- Practice appropriate cough etiquette and respiratory hygiene (see above, *General COVID-19 Risk Mitigation Protocols*)
- Practice a good standard of general hygiene including routine cleaning of frequently touched hard surfaces with detergent/disinfectant solution/wipe (see Annex 12C for guidance on appropriate disinfectants).
- Follow directions of port enforcement officer.
- Return to ship after essential tasks completed.

Non-crew marine industry staff interacting wharf-side with crew from a vessel should stay at least 1 metre away from crew.

**At the dock**, no shore crew can enter the port area unless the port is securely fenced with security to ensure no unauthorised entry or exit. For further details on minimising risk of COVID-19 transmission at the dock, see Annex 5 (unloading).

**In the event there is illness or suspected or confirmed COVID-19 cases on board, refer to Annex 10 for *Management of COVID-19 on board fishing vessels*.**

---

<sup>30</sup> Procedures drawn from sources including: [ABF: Restrictions on commercial maritime vessels and crew](#); [ICS: Guidance for ship operators for the protection of the health of seafarers](#); [COVID-19 information for the marine industry \(Australian Government Department of Health\)](#); [COVID-19 information for marine pilots \(Australian Government Department of Health\)](#), [Information about routine environmental cleaning and disinfection in the community \(Australian Government Department of Health\)](#), [Interim guidance: Quarantine/isolation process at the maritime border \(New Zealand Government Ministry of Health\)](#)

## ANNEX 9: [REPROVISIONING](#)

All persons involved in a vessel's reprovisioning need to practise the *General COVID-19 Mitigation Protocols* (see above) in addition to any port State requirements. However, there are minimum standards that all vessels should practice when involved in receiving provisions or transfer of supplies whether at sea or in port.<sup>31</sup>

### WHEN REPROVISIONING

- Effective vessel security should be maintained at all times to prevent unauthorised personnel boarding the vessel.
- Where possible, contact with other vessel or shore-based persons should be avoided.
- All arriving provisions and cargo should be treated as potentially COVID-19 infected, noting the virus can survive on surfaces up to 72 hours.
- Crew should wear appropriate PPE (including face masks and gloves; see Annex 12A for PPE standards).
- Practice good hygiene and wear gloves when handling cargo.
- Immediately return to ship after tasks of receiving stores/provisions are completed. If possible have supplies delivered by cargo net to the deck to avoid direct personal contact.
- Have all provisions sanitised before storage on board, noting extended exposure to sun light will sanitise non-perishable goods.
- Wash hands for at least 20 seconds with soap and water and dry thoroughly after removing masks/gloves.
- Generally, minimise or eliminate the need for face-to-face contact when reprovisioning.
- Ensure the vessel's PPE, medical equipment, and disinfectant equipment supplies meet standards outlined in Annex 12.

**In the event there is illness or suspected or confirmed COVID-19 cases on board, refer to Annex 10 for Management of COVID-19 on board fishing vessels.**

---

<sup>31</sup> Procedures drawn from sources including: [ABF: Restrictions on commercial maritime vessels and crew](#); [ICS: Guidance for ship operators for the protection of the health of seafarers](#); [COVID-19 information for the marine industry \(Australian Government Department of Health\)](#), [Australian Government Protocols for mitigating the spread of COVID-19 through goods](#).

## ANNEX 10: [MANAGEMENT OF COVID-19 CASES ON BOARD FISHING VESSELS](#)

Identifying and immediately isolating persons with suspected COVID-19 is essential to minimise transmission of the virus. Monitor for common signs and symptoms of COVID-19, including fever (daily temperature checks with a confidential and secure record/monitoring logbook), cough, sore throat, shortness of breath, loss of smell or loss of taste. Establish a plan for isolation of any suspected COVID-19 cases in advance.

These protocols outline the minimum standards that all vessels should practice when there is a suspected or confirmed COVID-19 case on board.<sup>32</sup>

### IDENTIFYING A SUSPECTED CASE OF COVID-19

A person who meets the following clinical **and** epidemiological criteria is a suspect case of COVID-19:<sup>33</sup>

#### Clinical criteria:

- Fever ( $\geq 37.5^{\circ}\text{C}$ ), or
- A history of fever (e.g. night sweats, chills), or
- Acute respiratory infection (e.g. cough, shortness of breath, sore throat), or
- Loss of smell or loss of taste.
- Acute onset of any three or more of the following signs or symptoms: general weakness/fatigue, headache, myalgia (muscle pain), anorexia/nausea/vomiting, diarrhoea, or altered mental status.

#### Epidemiological criteria—in the 14 days prior to illness onset:

- Close contact with a confirmed or probable case, or
- International travel, or
- People who have lived in or travelled through an area with community transmission of COVID-19, or
- Residing or working in an area with high risk of transmission of the virus: for example, closed residential settings and humanitarian settings, such as camp and camp-like settings for displaced persons, or
- Working in health setting, including within health facilities and within households.

### ON IDENTIFYING A SUSPECTED CASE OF COVID-19

<sup>32</sup> Procedures drawn from sources including: [ICS: Guidance for ship operators for the protection of the health of seafarers](#); [COVID-19 information for the marine industry \(Australian Government Department of Health\)](#) <https://www.cdc.gov/quarantine/maritime/recommendations-for-ships.html> <https://www.who.int/publications/i/item/operational-considerations-for-managing-covid-19-cases-or-outbreaks-on-board-ships-interim-guidance>

<sup>33</sup> Suspected cases of infection are defined under the Australian National Guidelines for COVID-19—updated regularly, last updated 28 July 2020: Communicable Diseases Network Australia, Coronavirus Disease 2019 (COVID-19) National Guidelines for Public Health Units (v 3.5, last updated 24 July 2020): [https://www1.health.gov.au/internet/main/publishing.nsf/Content/7A8654A8CB144F5FCA2584F8001F91E2/\\$File/COVID-19-SoNG-v3.5.pdf](https://www1.health.gov.au/internet/main/publishing.nsf/Content/7A8654A8CB144F5FCA2584F8001F91E2/$File/COVID-19-SoNG-v3.5.pdf). See also World Health Organisation, Public Health Surveillance for COVID-19: Interim Guidance (updated 7 August 2020): <https://www.who.int/publications/i/item/who-2019-nCoV-surveillanceguidance-2020.7>

**If a suspected case of COVID-19 is identified on board, the vessel must report the suspected case immediately to the intended port state health authorities as well as other relevant flag state and coastal state authorities and seek guidance on a suitable destination port where COVID-19 cases can be managed.**

Following the *General COVID-19 Mitigation Protocols*, the Captain **must** report the suspected COVID-19 case to relevant flag, coastal, and port State health authorities (see Appendix 3 for contact details across Pacific island countries) and seek further guidance. Relevant fisheries authorities, as contacted during routine fishing operations, should also be advised. Relevant authorities are:

- Authorities of the port state that the vessel is intending to travel to; and
- Authorities of the country that the vessel is currently in (if in a country's EEZ).

#### **To manage suspected or confirmed cases of COVID-19 on board<sup>34</sup>**

- Persons with symptoms of COVID-19 should be treated as a suspected COVID-19 case, isolated in a separate cabin immediately and provided with a medical face mask that must be worn at all times. **Public health authorities at the nearest port should be notified.**
- Depending on the person's condition, medical advice may need to be sought.
- Any persons in isolation should be checked-in on a regular basis, with updates on their physical condition documented by medical personnel.
- Contact with the suspected COVID-19 case should be limited as much as possible. Any crew members needing to enter the cabin should use appropriate PPE (medical facemask, apron and gloves) when entering the person's cabin. They should remove and dispose their PPE immediately after leaving the cabin, taking care when removing masks; then washing hands for at least 20 seconds with soap and water, and drying them thoroughly. Sanitise any equipment used.
  - See Annex 12A for PPE standards, along with further guidance on correctly disposing of PPE.
- The suspected COVID-19 case should use a separate bathroom and toilet from the rest of the crew. If not possible, they should have access to a bathroom at a different time to other crew members, and the bathroom area (including door handles, floors, taps and basins) should be thoroughly disinfected after each use, by a separate crew member wearing appropriate PPE.
- If there is a need to leave the cabin, the suspected COVID-19 case must wear a medical face mask and avoid close contact with other persons.
- All dirty laundry should be put in a plastic bag, tied up and placed outside the cabin door and collected by a crew member wearing gloves, mask, gloves and an apron. Laundry should be placed straight into a separate machine (without shaking clothes)

---

<sup>34</sup> Could potentially include ICS Poster on *Shipboard care for people with suspected or confirmed COVID-19* (Annex A, Poster A6, see here: <https://www.ics-shipping.org/docs/default-source/resources/covid-19-guidance-for-ship-operators-for-the-protection-of-the-health-of-seafarers-v2.pdf?sfvrsn=4>)

and washed in hot water with soap/washing detergent. The bag should be discarded after use.

- The suspected COVID-19 case should also use separate eating utensils, which should be collected by another crew member after each meal (wearing gloves and face masks) and placed straight into the dishwasher (if available) after use, and washed with hot, soapy water.

### **Management of all other crew**

All vessel crew should practice the *General COVID-19 Mitigation Protocols*.

If there is a suspected case of COVID-19 on board, all vessel crew should maintain rigorous infection prevention and control measures, which include:

- Avoid close contact with anyone on board. Adopt strict physical distancing and keep a minimum 1 metre distance apart at all times.
- Wear a facemask at all times, particularly while in communal areas.
- Avoid touching the front of facemasks and ensure proper disposal (Annex 12A).
- Practice good cough/sneeze etiquette.
- Wash hands often for a minimum of 20 seconds with soap and water and dry thoroughly, especially after sneezing/coughing, contact with others or frequently touched surfaces. Use an alcohol-based hand sanitizer (minimum 60% alcohol content) where soap and water are not available.
- Monitor daily for common COVID-19 symptoms (i.e. fever, sore throat, cough, shortness of breath, loss of smell or loss of taste). Any symptomatic crew should be isolated immediately in their cabins or another suitable location, and treated as suspected COVID-19 cases.
- **Report all additional suspected COVID-19 cases to local public health authorities immediately.**

### **Measures on board the ship**

- Undertake a deep clean of the vessel as soon as possible (see Annex 11 for further details).
- The general level of hygiene should be increased, with more frequent cleaning and disinfection of frequently touched surfaces, such as tables, benchtops, door handles, railings, tap handles, toilet flush buttons, radios, valves, switches, navigation panels etc.
- When applying to go to port, remember to inform the port authorities that you have a suspected COVID-19 case on board and ask for instructions before entering port.
- A full record of the medical assessment and care given should be kept in appropriate, confidential log book, ideally stored and communicated electronically.
- Complete Maritime Declaration of Health and/or other health documents as required, including electronic transmission of records.
- Have a backup plan if denied port entry.



## Seeking further medical advice

The Master or person(s) responsible for medical care on board should seek additional help in managing the case from the port health authority.<sup>35</sup>

### RELEASE FROM QUARANTINE/ISOLATION

All persons who are assessed to be a close contact of a suspected or confirmed case of a COVID-19 will have to undertake quarantine as advised by local health authorities. Close contact includes:

- Face-to-face contact within 1 metre for more than 15 minutes; or
- Direct physical contact with a probable or confirmed case; or
- Direct care for a patient with probable or confirmed COVID-19 disease without the use of proper PPE (see Annex 12A for PPE standards).

In general, the period for quarantine is considered to be 14 days after the last exposure to a suspected or confirmed COVID-19 case.

Official release from quarantine is the decision of local public health authorities and may be discontinued for close contacts of suspected or confirmed COVID-19 cases under the following conditions:

- At least 14 days have passed since their last exposure to a suspected or confirmed case (considering the last exposure date to case as Day 0); and
- the exposed person has not since developed signs or symptoms of COVID-19.

**A person should only be released from quarantine or isolation following official approval to do so by the relevant public health authorities.**

---

<sup>35</sup> Including PCR based COVID-19 testing of crew as soon as possible.

## APPENDIX 1: DEEP CLEANING A VESSEL

Where there is a suspected case of COVID-19 on board a vessel, a deep clean must be undertaken as soon as possible. A deep clean refers to a cleaning and sanitising regime that is more thorough and extensive than current procedures with a focus on surfaces that may have been exposed to the COVID-19 virus.

### BEFORE THE DEEP CLEAN

Personnel in charge and involved in the deep clean should:<sup>36</sup>

- Undertake general procedures for boarding a vessel (Annex 6).
- Engage with cleaning personnel to reinforce the importance of limiting where they need to go on the vessel and where possible develop a means of recording where they have been.
- Document a procedure to be followed in the case of a COVID-19 detection and nominate one or two people who will be responsible for oversight of the process and record-keeping.
- Ensure there are adequate supplies of liquid soap and warm running water, PPE (face masks, gloves as a minimum), alcohol-based hand sanitiser, cleaning and disinfection chemicals, disposable paper towel etc. See Annex 12 for PPE and disinfectant equipment standards.
- The cleaning and sanitising agents used in your usual cleaning regime will be suitable for deep cleaning.

### COMPLETING A DEEP CLEAN

No personnel, except those involved in the cleaning will be permitted in the affected area until the clean is complete.

Complete the following procedures according to the surface type (see table), generally following the two-step process described below:<sup>37</sup>

1. Thoroughly clean all hard surfaces and frequently touched surfaces with a solution of water and normal neutral detergent. Allow to air-dry completely. Follow facility procedures on cleaning.
2. Disinfect all cleaned surfaces with a household bleach solution, 0.5% chlorine solution, or 70% alcohol.

---

<sup>36</sup> Australian Joint Food Regulation System (2020) 'Additional Cleaning and Sanitising for Food Businesses in Response to COVID-19 Exposure' (accessed 5 August 2020, available [here](#)).

<sup>37</sup> Safe Work Australia (2020) 'How to clean and disinfect your workplace—COVID-19' (accessed 5 August 2020, available [here](#)).

Surface	Cleaning method
Soft plastics	Detergent + Disinfectant
Hard plastics	Detergent + Disinfectant
Metal surfaces (stainless steel, uncoated steel, zinc coated steel, aluminium)	Detergent + Disinfectant* *uncoated steel is more susceptible to rust when disinfected. Disinfect only when necessary, and treat for rust as appropriate
Painted metal surfaces	Detergent + Disinfectant
Deliberately Greased or Oiled metal surfaces	Clean according to manufacturer's recommendations
Wood	Detergent + Disinfectant
Laminate	Detergent + Disinfectant
Glass	Detergent + Disinfectant
Concrete (polished)	Detergent + Disinfectant
Concrete (rough)	Detergent + Disinfectant
Leather	Clean and disinfect according to manufacturer's recommendations
Fabric	Detergent + Steam clean If launderable, wash on warmest possible setting according to manufacturer's recommendations with laundry detergent
Paper	Not suitable for cleaning. Dispose of in the bin (double-bagged), or leave undisturbed for a minimum of 72 hours, longer if possible.

#### AFTER THE DEEP CLEAN

Double bag and dispose of waste using PPE and cleaning standards (see Annex 12), and follow the general disembarking procedure. Ensure PPE are removed of correctly, disposed in a closed waste bin and followed immediately by washing hands thoroughly with soap and water for at least 20 seconds and drying hands completely (see Annex 7).

## APPENDIX 2: STANDARDS FOR PPE, MEDICAL EQUIPMENT, AND DISINFECTANTS

The **amount** of PPE, medical equipment, and disinfectant equipment for vessels' stocks will depend on various factors, including (but not limited) to the below list, which should be considered when stocking your vessels' supplies:

- The type of fishing operations—for example, whether you anticipate frequent transshipping of catch
- The length of your fishing activity
- The remoteness of your fishing activity, away from on shore port facilities
- The size of your vessel crew
- The size of your vessel, and the ability of your crew to maintain physical distancing recommendations

**The captain is responsible for ensuring minimum standards are met. These standards are targeted at preventing transmission of COVID-19, and are separate to standards for the management of COVID-19 cases.**

Any case of COVID-19 (suspected or confirmed) should be managed according to Annex 10 (Management of COVID-19 outbreaks on board fishing vessels) and Annex 11 (Deep cleaning a vessel). Further advice should be sought from relevant health authorities (see *General COVID-19 Risk Mitigation Protocols*; see Appendix 3 for list of relevant contacts).

### A: PPE STANDARDS

For the purpose of managing any suspected/confirmed COVID-19 cases on board a ship, and assuming that no aerosol-generating medical procedures will be undertaken on board, the following PPE should be used:

- Disposable gloves for crew managing suspected/confirmed COVID19 cases
- Long-sleeved gown or apron
- Surgical masks (also known as medical masks)
- Goggles/safety glasses or face shields
- Cleaning gloves (only for cleaners).

In the absence of any suspected or confirmed COVID-19 cases on board, all crew who feel well should instead wear fabric facemasks to preserve supplies of surgical masks.

**Further details on PPE are as below** (adapted from the International Chamber of Shipping COVID-19 Guidance for Ship Operators, Annex D)<sup>38</sup>:

---

<sup>38</sup> International Chamber of Shipping, Guidance for Ship Operators for the Protection of the Health of Seafarers, <https://www.ics-shipping.org/docs/default-source/resources/covid-19-guidance-for-ship-operators-for-the-protection-of-the-health-of-seafarers-v2.pdf?sfvrsn=4>. See also Australian Government Therapeutic Goods Administration, Regulation of Personal Protective Equipment and COVID-19, <https://www.tga.gov.au/behind-news/regulation-personal-protective-equipment-and-covid-19>

PPE	Specifications	Carried on board?
<b>Examination Gloves</b>	Nitrile, powder-free, non-sterile. Cuff length preferably reaching above the wrist (e.g. minimum 230mm total length. Sizes, S, M, L). Plentiful supplies required. <b>Standards:</b> EU MDD directive 93/42/EEC Category III, EU PPE Regulation 2016/425 Category III, EN 455, EN 374, ANSI/ISEA 105, ASTM D6319, or equivalent	Yes*
<b>Gloves, cleaning</b>	Outer glove should have long cuffs, reaching well above the wrist, ideally to mid-forearm. Cuff length preferably reach mid-forearm (e.g. minimum 280mm total length. Sizes, S, M, L), reusable, puncture resistant, FDA compliant.	Yes*
<b>Impermeable gowns single use</b>	Disposable, length mid-calf. - EU PPE Regulation 2016/425 and EU MDD directive 93/42/EEC. FDA class I or II medical device, or equivalent, EN 13795 any performance level, or AAMI PB70 all levels acceptable, or equivalent.	Yes*
<b>Aprons</b>	Heavy duty, straight apron with bib. Fabric: 100% polyester with PVC coating, or 100% PVC, or 100% rubber, or other fluid resistant coated material, Waterproof, sewn strap for neck and back fastening. Minimum basis weight: 300g/m <sup>2</sup> covering size: 70-90 cm (width) X 120-150cm (height). Reusable (if decontamination arrangements exist) EN ISO 13688, EN 14126-B and partial body protection (EN 13034 or EN 14605), EN 343 for water and breathability or equivalent.	Yes*
<b>Goggles, protective</b>	A personal protective device in the form of eyewear/glasses with clear lenses intended to be used to shield the eyes of healthcare staff from blood and other body fluid splashes while performing a clinical or laboratory procedure. It is designed as uncorrected (non-prescription) or corrected (prescription) goggles or spectacles with lenses and side shields. The lenses and side shields offer additional physical barrier protection. <b>Standards:</b> EU PPE Regulation 2016/425, EN 166, ANSI/ISEA Z87.1, or equivalent	Yes*
<b>Surgical masks</b>	A fluid-resistant, disposable device intended to be placed over the nose and mouth of medical personnel or patients who are infected or displaying symptoms, to create a physical barrier between the mouth and nose of the wearer and prevent the transmission of airborne organisms during surgery or patient examination. Surgical masks are graded as level 1, 2 or 3 based on the level of protection provided, or fluid resistance. Generally, requires good breathability, clear internal and external faces. EU MDD directive 93/42/ EEC Category III, or equivalent, EN 14683 Type II, IR, IIR <b>Standards:</b> ASTM F2100 minimum level 1 or equivalent	Yes*
<b>Face shield</b>	A transparent personal protective device intended to shield the face and eyes of a healthcare worker from unnecessary exposure from blood and other body fluid splashes while performing a clinical or laboratory procedure. Visors are suitable for use with prescription lenses and protective masks. Should be provided and use managed by Port Health Authority EN 166 (if reusable), ANSI/ISEA Z87.1 (if reusable), or alternative equivalent set of standards	(Optional)

\* This equipment is currently in short supply. If you cannot procure the specifications suggested, please speak to your company doctor to see what suitable alternative products are available locally.

## DISPOSING OF PPE

Immediately after use, all PPE should be removed and disposed of:

- In a closed lined bin, and
- In a designated medical waste location isolated from the remainder of the vessel

Wash hands immediately afterwards with soap and water for at least 20 seconds, and dry thoroughly.

Vessels should incinerate medical waste on board, or arrange appropriate handling on shore.

## B: MEDICAL EQUIPMENT STANDARDS

Equipment	Specifications	Carried on board?
<b>Thermometer</b>	<p>Thermometer should be a non-contact infrared thermometers or a thermal scanner.</p> <p>Vessels should carry a spare thermometer excess to minimum requirements. Vessels should also carry extra batteries/rechargeable batteries that last at least one year.</p> <p>Thermal scanners should meet general legal requirements of medical devices: for example, see Australian Government Therapeutic Goods Administration Regulation of thermometers and other temperature measuring medical devices and products for COVID-19: <a href="https://www.tga.gov.au/behind-news/regulation-thermometers-and-other-temperature-measuring-medical-devices-and-products-covid-19">https://www.tga.gov.au/behind-news/regulation-thermometers-and-other-temperature-measuring-medical-devices-and-products-covid-19</a></p>	<b>Yes</b>
<b>Pulse Oximeter</b>	<p>Compact portable device measures arterial blood oxygen saturation (SpO<sub>2</sub>), heart rate and signal strength. Measuring range: SpO<sub>2</sub> 30 - 100% (minimum graduation 1%), Heart rate 20 - 250 bpm (minimum graduation 1bpm). Line powered, or extra batteries/rechargeable batteries that last at least one year. ISO 80601-2-61:2011 or equivalent.</p>	<b>Yes</b>

## C: DISINFECTANT STANDARDS

### A suitable disinfectant for disinfecting a vessel includes:

- Household bleach solution (containing 0.1% bleach), or
- 0.5% sodium hydrochlorite solution, or
- 70% alcohol solution

### There are other alternative disinfectants for use against COVID-19:

- The full list of disinfectants for legal use in Australia from the Australian Government Therapeutic Goods Administration is here: <https://www.tga.gov.au/disinfectants-use-against-covid-19-artg-legal-supply-australia>.
- The full list of disinfectants for legal use in the United States from the US Environmental Protection Agency is here: <https://www.epa.gov/pesticide-registration/list-n-disinfectants-use-against-sars-cov-2-covid-19>

Hospital grade disinfectants are only recommended in healthcare settings, and are not included in these protocols.

### Disinfecting (as opposed to routine cleaning) a vessel involves:

1. Preparing a disinfectant solution:
  - a. Prepare in a well-ventilated area.
  - b. Resource limitations permitting, where disinfectants are being prepared and used, the minimum recommended PPE is rubber gloves, impermeable aprons and closed shoes. Medical masks should be used if cleaning an area impacted by a suspected or confirmed COVID-19 case. Eye protection may also be needed to protect against chemicals in use or if there is a risk of splashing.
2. Thoroughly clean all hard surfaces and frequently touched areas with a solution of water and normal neutral detergent, and following routine facility procedures on cleaning. Allow to air-dry completely.  
Disinfect all cleaned surfaces with a suitable disinfectant, as above.

Note: Sodium Hypochlorite solution is available in concentrations from 3-5% and must be diluted. The formula for mixing sodium hypochlorite:

- E.g. disinfectant concentration 0.5% (5000ppm) [% chlorine in liquid sodium hypochlorite / % chlorine desired] - 1 = Total parts of water for each part sodium hypochlorite.
- E.g: [5% in liquid sodium hypochlorite/ 0.5% chlorine desired] - 1 = 9 parts of water for each part sodium hypochlorite
- E.g: To make a 0.5% chlorine solution from 3.5% bleach  $3.5/0.5 - 1 = 7 - 1 = 6$  parts water for each part bleach

## APPENDIX 3: LIST OF HEALTH CONTACTS FOR PACIFIC ISLAND COUNTRIES AND REGIONAL AGENCY CONTACTS

### LIST OF CONTACTS HEALTH CONTACTS (Updated July 2020)

If there is a suspected COVID-19 case on board the vessel, use the following list to identify the relevant health authorities in the first instance, along with relevant fishing contacts as required during routine fishing operations. Relevant health authorities are:

1. Authorities of the port state that the vessel is intending to travel to; and
2. Authorities of the country that the vessel is currently in (if in a country's EEZ).

#### AUSTRALIA

Rhonda OWEN Assistant Secretary National Incident Room and Health Emergency Management Branch Department of Health	Tel: +61 2 6289 8813 +61 419 683 633 Email: <a href="mailto:rhonda.owen@health.gov.au">rhonda.owen@health.gov.au</a>
--	--

#### COOK ISLANDS

Dr Josephine Aumea HERMAN Secretary of Health Ministry of Health P.O Box 109 Rarotonga	Tel: +682 29664 Fax: +692 55346 Email: <a href="mailto:josephine.herman@cookislands.gov.ck">josephine.herman@cookislands.gov.ck</a> Web: <a href="http://www.health.gov.ck">www.health.gov.ck</a>
Dr Yin May Director of Hospital Health Services Ministry of Health	Tel: +682 22664 Email: <a href="mailto:yin.may@cookislands.gov.ck">yin.may@cookislands.gov.ck</a>
Dr Tereapii Uka Director of Public Health Ministry of Health	Tel: +682 29110 Email: <a href="mailto:t.uka@cookislands.gov.ck">t.uka@cookislands.gov.ck</a>
Dr Teariki Faireka Director of Primary Care Ministry of Health	Tel.: +682 29664 Fax: +682 23 109 Email: <a href="mailto:t.faireka@cookislands.gov.ck">t.faireka@cookislands.gov.ck</a>

#### FISHERIES

Pamela Maru Secretary Ministry of Marine Resources P.O. Box 85 Rarotonga	Tel: +682 28721 Email: <a href="mailto:p.maru@mmr.gov.ck">p.maru@mmr.gov.ck</a>
--	--

#### FEDERATED STATES OF MICRONESIA

##### POHNPEI STATE

Mr Wincener J. DAVID Director Department of Health Services Pohnpei State Government PO Box 189 Kolonja, Pohnpei 96941	Tel: +691 320 3805/ 2216/2215 Email: <a href="mailto:w david@fsmhealth.fm">w david@fsmhealth.fm</a>
---	--



## CHUUK STATE

Mr Julio MARAR  
Director  
Department of Health Services  
Chuuk State Government  
PO Box 400  
Weno, Chuuk, FSM 96942

Tel: +691 330 2210  
Fax: +691 330 5893  
Cell: +691 931 2339  
Email: [jmarar@fsmhealth.fm](mailto:jmarar@fsmhealth.fm)

## KOSRAE STATE

Mr Bob SKILLING  
Director  
Department of Health Services  
Kosrae State Government  
PO Box 127  
Kosrae, FSM 96944

Tel : +691 320 2619/ 2872/ 2643  
Fax : +691 370-3073  
Email: [bhskilling@fsmhealth.fm](mailto:bhskilling@fsmhealth.fm)

## YAP STATE

Ms Aileen TAREG  
Director  
Department of Health Services  
Yap State Government  
PO Box 148  
Colonia YAP, FSM 96943

Tel: +691 350 2110/ 2115/ 8799  
Fax: +691 350 3444  
Email: [atereg@fsmhealth.fm](mailto:atereg@fsmhealth.fm)

## FIJI

Dr James FONG  
Acting Permanent Secretary  
Ministry of Health and Medical Services  
Level 3 Dinem House  
88 Amy Street, Toorak  
Box 2223 Government Buildings Suva

Tel: +679 321 5732  
Cell: +679 990 4664 / 321 5704  
Fax: +679 330 6163  
Email: [pshealthfj@gmail.com](mailto:pshealthfj@gmail.com)  
[info@health.gov.fj](mailto:info@health.gov.fj)  
[james.fong@health.gov.fj](mailto:james.fong@health.gov.fj)

## KIRIBATI

Mrs Eretii TIMEON  
Director, Public Health Services  
Ministry of Health and Medical Services  
P.O. Box 268n Bikenibeu  
Tarawa

Tel: +686 28100  
Fax: +686 28 512  
Email: [eretii1979@gmail.com](mailto:eretii1979@gmail.com)

## MARSHALL ISLANDS (RMI)

Dr Aina GARSTANG  
Public Health Director  
Ministry of Health  
PO Box 16  
Majuro 96960

Tel: +692 625 3355  
+692 625 3399 Ext 2166  
Email: [aina.garstang@gmail.com](mailto:aina.garstang@gmail.com)

## NAURU

Ms Chanda GARABWAN  
Acting Secretary for Health and Medical Services  
Ministry of Health and Medical Services

Tel: +674 557 3074  
Email: [garabwanc@gmail.com](mailto:garabwanc@gmail.com)

Republic of Nauru Hospital  
Yaren District  
Nauru

## NEW ZEALAND

For information about entry restrictions and COVID-19 in New Zealand: <https://covid19.govt.nz/travel-and-the-border/border-restrictions/>

To report COVID-19 symptoms, call the New Zealand COVID-19 Healthline: +649 358 5453

## NIUE

Dr. Edgar AKAU'OLA  
Acting Director of Health  
Department of Health  
Government of Niue  
P.O. Box 33 – Alofi

Tel: +683 4100 Ext 103  
Mob: +683  
Fax : +683 4265  
Email: [Malolotino.Health@mail.gov.nu](mailto:Malolotino.Health@mail.gov.nu)  
[niuedoh@mail.gov.nu](mailto:niuedoh@mail.gov.nu)

## PALAU

Ms Darnelle WORSWICK  
Director of Health Administration and Support  
Services  
Ministry of Health  
Koror

Tel: + 680 488 2552 Ext 418  
Email: [darnelle.worswick@palauhealth.org](mailto:darnelle.worswick@palauhealth.org)

## PAPUA NEW GUINEA

Mr Pascoe KASE  
Secretary for Health  
Department of Health  
P.O. Box 807  
WAIGANI, National Capital District  
PNG

Tel: +675 301 3602  
Mob: +675 739 5544  
Fax: +675 325 1825  
Email: [pascoe\\_kase@health.gov.pg](mailto:pascoe_kase@health.gov.pg)  
[pascoe@gmail.com](mailto:pascoe@gmail.com)

## SAMOA

Leausa Dr Take NASERI  
Director-General of Health  
Chief Executive Officer  
Ministry of Health,  
Motootua, Private Bag  
Apia

Tel: +685 23 332  
Mob: 685 752 3332  
Fax: +685 26 553  
Email: [ceo@health.gov.ws](mailto:ceo@health.gov.ws)  
[taken@health.gov.ws](mailto:taken@health.gov.ws)  
[malonaseri@gmail.com](mailto:malonaseri@gmail.com)

## SOLOMON ISLANDS

Ms Pauline BOSETO McNEIL  
Permanent Secretary of Health,  
Ministry of Health and Medical Services  
PO Box 349, Honiara

Tel : +677 20806  
Fax : +677 28 610  
Email: [pmmcneil@moh.gov.sb](mailto:pmmcneil@moh.gov.sb)

## TOKELAU

Dr Silvia TAVITE  
Director of Health  
Department of Health, Head Office  
Nukunonu

Tel: +690 24211 / 24212 (Tokelau)  
+685 20 822 (Apia)  
Mob: +685 77 66 000  
Fax: +685 29 143  
Email: [stdrtavite@gmail.com](mailto:stdrtavite@gmail.com) /  
[doh@lesamoa.net](mailto:doh@lesamoa.net)

## TONGA

Dr Siale 'AKAU'OLA  
Chief Executive Officer  
Ministry of Health  
Vaiola Hospital  
P.O. Box 59  
Nuku'alofa

Tel: +676 28 233  
Mob: +676 774 2209  
Fax: +676 24 291  
Email: [sakauola@health.gov.to](mailto:sakauola@health.gov.to)  
[sialeakauola@yahoo.com.au](mailto:sialeakauola@yahoo.com.au)

## TUVALU

Mr Nikolasi APINELU  
Chief Executive Officer  
Ministry of Health  
Funafuti

Tel: +688 20 416  
Mob: +688 900 467  
Email: [tkiose@gmail.com](mailto:tkiose@gmail.com)  
[ksiose@gov.tv](mailto:ksiose@gov.tv)

## VANUATU

Mr Reginald Len TARIVONDA  
Director  
Department of Public Health  
Ministry of Health  
Private Mail Bag 9009  
Port Vila

Tel: +678 22512  
Mob: +678 765 4903  
Email: [ltarivonda@vanuatu.gov.vu](mailto:ltarivonda@vanuatu.gov.vu)

## REGIONAL AGENCIES AND ORGANISATIONS CONTACTS

You can contact the following organisations if you have further questions or uncertainties about these protocols.

### FFA

- Covid Protocols team (Fisheries Operations Division): [covidprotocols@ffa.int](mailto:covidprotocols@ffa.int)
- Regional Fisheries Surveillance Centre: [rfsc@ffa.int](mailto:rfsc@ffa.int)

### SPC

- Dr. Jojo Merilles, Team Leader of the Surveillance, Preparedness and Response Programme, Public Health Division, [jojom@spc.int](mailto:jojom@spc.int)

### PNA Office

- Ludwig Kumoru, CEO, [ludwig@pnatuna.com](mailto:ludwig@pnatuna.com)
- Maurice Brownjohn, Commercial Manager, [maurice@pnatuna.com](mailto:maurice@pnatuna.com)

### PNA Observer Agency

- David Byrom, FSMA Observer coordinator, [dbyrom@mragsiapacific.com.au](mailto:dbyrom@mragsiapacific.com.au)

**FIMS Inc**

- David Wilkinson, General Manager FIMS Inc , [david.wilkinson@ifims.com](mailto:david.wilkinson@ifims.com)
- Andrew Trendell, Fisheries and Industry Support FIMS Inc [andrew@ifims.com](mailto:andrew@ifims.com)

## APPENDIX 4: [CREW HEALTH SELF-DECLARATION FORM](#)<sup>39</sup>

### **Taken from International Chamber of Shipping COVID-19 Guidance for Ship Operators, Annex C**

This form should be completed by all persons prior to, or at the time of, embarkation on to the ship. It is intended to screen persons for COVID-19 infection and collect other relevant information. *[Insert reference or link to relevant data protection/privacy policy.]*

**Date:**

**Full Name (as found on passport or other ID):**

**Last (Family) Name:**

**First (Given) Name:**

**Name of Ship:**

1. Have you received information and guidance on the coronavirus (COVID-19), including about standard health protection measures and precautions?  
Yes / No
2. Do you understand and comply with applicable standard health protection measures and precautions to prevent the spread of the coronavirus (COVID-19), such as proper hand washing, coughing etiquette, appropriate social distancing?  
Yes / No

**During the last 14 days, have you:**

3. Tested positive for being infected with the coronavirus (COVID-19)?  
Yes / No  
If "Yes", please provide date of test and name of test:
4. Tested positive for the antibodies for the coronavirus (COVID-19)?  
Yes / No  
If "Yes", please provide date of test and name of test:
5. Shown any symptoms associated with the coronavirus (COVID-19), specifically,  
A fever: Yes / No  
A dry cough: Yes / No  
Tiredness: Yes / No  
Shortness of breath: Yes / No  
Aches and pains: Yes / No  
Sore throat: Yes / No  
Diarrhoea: Yes / No  
Nausea: Yes / No  
Loss or change in taste/smell: Yes / No

---

<sup>39</sup> The temperature profiles of crews and vaccination records can be accessed through PNA FIMS.

Rash: Yes / No

6. Completed a period of self-isolation related to the coronavirus (COVID-19)?

Yes / No

If "Yes", please explain the circumstances and the length of self-isolation:

7. Had close contact with anyone that has tested positive for coronavirus (COVID 19)?  
("Close contact" means being at a distance of less than one metre for more than 15 minutes.)

Yes / No

8. Had close contact with anyone with symptoms of the coronavirus (COVID-19)?  
("Close contact" means being at a distance of less than one metre for more than 15 minutes.)

Yes / No

9. Maintained good personal hygiene and complied with applicable health protection measures and precautions?

Yes / No

**I confirm that the information provided above is correct to the best of my knowledge.**

**Signature:**

**Date:**

## **APPENDIX 5: [SUPPLEMENTARY POSTERS](#)**

Posters have been developed to support implementation of these protocols and may be used workplaces, including on board vessels, to support practises that mitigate COVID-19 transmission through the Pacific fishing sector.

**These posters provide guidelines on the following activities:**

- Protecting yourself and others from getting sick
- Practise food safety
- Shipboard care for people with suspected or confirmed COVID-19
- Protecting everyone during ship visits
- How to deal with laundry
- Set-up guidelines for unloading and containerising catch at port
- Completing a deep clean
- WHO poster: how to handwash
- WHO poster: how to handrub

# COVID-19

## Protect yourself and others from getting sick

When coughing and sneezing, cover your nose and mouth with a tissue or a flexed elbow



Throw the tissue into a closed bin immediately after use



Clean your hands with an alcohol-based hand rub or with soap and water for at least 20 seconds:

- After coughing or sneezing
- When caring for the sick
- Before, during and after preparing food
- Before eating
- After toilet use
- When hands are visibly dirty



Avoid touching eyes, nose and mouth





# COVID-19

## Practise food safety

Meat products can be safely consumed if they are cooked thoroughly and properly handled during food preparation




Do not eat sick or diseased animals



Use different chopping boards and knives for raw meat and cooked foods



Wash your hands with soap and water for at least 20 seconds between handling raw and cooked food



# COVID-19

## Shipboard care for people with suspected or confirmed COVID-19

**Report immediately to intended port state health authorities and other relevant flag state and coastal state authorities.**

**Seek guidance on a suitable destination port where COVID-19 cases can be managed.**

### For ill crew members

Clean hands frequently with soap and water or with alcohol-based hand rub (> 60% ethanol).



Stay in your cabin and do not attend work. Rest, drink plenty of fluids and eat healthy food. Wear a face mask at all times.



Stay in a separate cabin from other people. If this is not possible, wear a mask and keep a distance of at least 1m away. Keep the cabin well-ventilated and if possible use a dedicated bathroom.



When coughing or sneezing, cover your mouth and nose with flexed elbow or use disposable tissue and discard after use. If you experience difficulty breathing, contact radio medical.



### For caregivers

Clean hands frequently with soap and water or with alcohol-based hand rub (> 60% ethanol).



Wear a medical mask and an apron when in the same cabin with an ill person. Do not touch your face during use and discard it afterward.



Use dedicated dishes, cups, eating utensils, towels and bed linen for the ill person. Wash everything used by the ill person with soap and water.

Identify surfaces frequently touched by the ill person and clean and disinfect them daily.



Place dirty laundry should in a plastic bag, tied up and placed outside the cabin door, and handled by a crew member wearing gloves, mask, gloves and an apron. Laundry should be placed straight into a separate machine and washed.

### For all crew members

Clean hands frequently with soap and water or with alcohol-based hand rub (> 60% ethanol).



Avoid unnecessary exposure to the ill crew member and avoid sharing items, such as eating utensils, dishes, drinks and towels.



When coughing or sneezing, cover your mouth and nose with flexed elbow or use disposable tissue and discard after use.



Monitor everyone's health for symptoms such as fever or a cough. Report all additional suspected COVID-19 cases to local public health authorities immediately.




# COVID-19

## Protecting everyone during ship visits

Before visits, personnel should send temperature and health records for at least the previous 14 days showing no COVID-19 symptoms. **During ship visits:**

### Protect through social distancing and good hygiene

- Keep a minimum of 1–2 metres distance.
- No handshakes or physical contact.
- Wash hands frequently and thoroughly, keeping contact surfaces clean, and touch your face less.



### Prepare for visitors

- Wipe down areas and objects visitors are likely to touch with an appropriate disinfectant.
- Restrict access into the ship's accommodation – keeps doors locked and post 'no entry' signs. Provide alcohol hand gel (> 60% ethanol) ready for use upon entry onto ship and around the ship.
- Have designated toilet and handwashing facilities for visitors, which are well-stocked with soap.
- Try to prepare and complete documents digitally – avoid handling paper and laminated documents.
- Have PPE, such as disposable gloves, ready to use in unavoidable close contact situations.



### Keep your guard up

- Maintain effective ship and gangway security and prevent unauthorised personnel boarding the ship.
- If someone trying to board the ship exhibits symptoms – refuse access and report it.
- Continue to sanitise contact areas throughout the ship's stay in port.



### Take it outside

- Where possible, hold conversations and meetings with visitors on the open deck or open bridge wings.
- If visitors must be inside, limit the number of crew nearby to the absolute minimum.



# COVID-19

## How to deal with laundry

### How to wash and dry clothes, towels and bed linen if a crew member is a suspected COVID-19 patient

- Wash the patient's clothes, towels and bed linen separately.
- If possible, wear heavy-duty gloves before handling them.
- Never carry soiled linen near your body; place soiled linen in a clearly labelled, leak-proof container (e.g. bag, bucket).
- Scrape off solid excrement (e.g. faeces or vomit) with a flat, firm object and place it in the patient's toilet before putting linen in the designated container. Place the excrement in a covered bucket to dispose of in a toilet if this is not in the patient's cabin.
- Wash and disinfect linen: machine wash at 60–90°C with laundry detergent. Alternatively, soak linen in hot water and soap in a large drum, using a stick to stir, avoid splashing. If hot water is not available, soak linen in 0.05% chlorine for approximately 30 minutes. Rinse with clean water and let linen dry in sunlight.
- Do not forget to wash hands at the end of the process.



### Do I need to use a washing machine and drier to wash and dry clothes, towels and bed linen if no one in the crew is a suspected COVID-19 patient?

- No need to use a washing machine or drier, nor extremely hot water.
- Do laundry as normal using detergent or soap.
- Once dry, clean your hands before handling and storing clothes, towels and bed linen.




# COVID-19

## Set-up guidelines for unloading and containerising catch at port


### Bad:

Workers are within six feet of one another, including at side-by-side or facing workstations.




### Good:

Workers are spaced at least six feet apart, not facing one another. Other configurations may be used to achieve similar distancing between workers.




### Good:

Physical barriers, such as partitions, separate workers from each other.



### Good:

Physical barriers, such as partitions, separate workers from each other, including where workers need to perform tasks in tandem across from one another.



# COVID-19

## Completing a deep clean

No personnel, except those involved in the cleaning, should be permitted in the target area until the clean is complete. Follow this two-step process according to the surface type (see table):

1. Thoroughly clean with a solution of water and normal neutral detergent. Allow to air-dry completely.
2. Disinfect all cleaned surfaces with a household bleach solution, 0.5% chlorine solution, or 70% alcohol.

Surface	Cleaning method
Soft plastics	Detergent + Disinfectant
Hard plastics	Detergent + Disinfectant
Metal surfaces (stainless steel, uncoated steel, zinc coated steel, aluminium)	Detergent + Disinfectant. Uncoated steel is more susceptible to rust when disinfected. Disinfect only when necessary, and treat for rust as appropriate.
Painted metal surfaces	Detergent + Disinfectant
Deliberately Greased or Oiled metal surfaces	Clean according to manufacturer's recommendations.
Wood	Detergent + Disinfectant
Laminate	Detergent + Disinfectant
Glass	Detergent + Disinfectant
Concrete (polished)	Detergent + Disinfectant
Concrete (rough)	Detergent + Disinfectant
Leather	Clean and disinfect according to manufacturer's recommendations
Fabric	Detergent + Steam clean: If launderable, wash on warmest possible setting according to manufacturer's recommendations with laundry detergent.
Paper	Not suitable for cleaning. Dispose of in the bin (double-bagged), or leave undisturbed for a minimum of 72 hours, longer if possible.

**Make sure to double bag and dispose of waste using PPE and appropriate cleaning standards.**



# How to Handwash?

WASH HANDS WHEN VISIBLY SOILED! OTHERWISE, USE HANDRUB

 Duration of the entire procedure: 40-60 seconds




Wet hands with water;



Apply enough soap to cover all hand surfaces;



Rub hands palm to palm;



Right palm over left dorsum with interlaced fingers and vice versa;




Palm to palm with fingers interlaced;



Backs of fingers to opposing palms with fingers interlocked;



Rotational rubbing of left thumb clasped in right palm and vice versa;



Rotational rubbing, backwards and forwards with clasped fingers of right hand in left palm and vice versa;




Rinse hands with water;



Dry hands thoroughly with a single use towel;



Use towel to turn off faucet;



Your hands are now safe.



World Health  
Organization

Patient Safety

A World Alliance for Safer Health Care

SAVE LIVES

Clean Your Hands

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this document. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use. WHO acknowledges the Hôpitaux Universitaires de Genève (HUG), in particular the members of the Infection Control Programme, for their active participation in developing this material.

May 2009

# How to Handrub?

**RUB HANDS FOR HAND HYGIENE! WASH HANDS WHEN VISIBLY SOILED**


 **Duration of the entire procedure: 20-30 seconds**



**1a** Apply a palmful of the product in a cupped hand, covering all surfaces;



**2** Rub hands palm to palm;



**3** Right palm over left dorsum with interlaced fingers and vice versa;



**4** Palm to palm with fingers interlaced;



**5** Backs of fingers to opposing palms with fingers interlocked;



**6** Rotational rubbing of left thumb clasped in right palm and vice versa;



**7** Rotational rubbing, backwards and forwards with clasped fingers of right hand in left palm and vice versa;



**8** Once dry, your hands are safe.



**World Health Organization**

**Patient Safety**

A World Alliance for Safer Health Care

**SAVE LIVES**  
Clean Your Hands

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this document. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use. WHO acknowledges the Hospitais Universitários de Coimbra (HUC) in particular the members of the Infection Control Programme, for their active participation in developing the material.



## APPENDIX 6: VALID COVID-19 TESTS

Note only results from RT-PCR tests are considered valid under this protocol due to the higher reliability of results compared to rapid tests.



### Appendix A: Centre for Health Security Technical Brief: Summary Testing Options for COVID-19

Test Type	Rapid Antigen Test (nasopharyngeal swabs)	Point-of-Care Serology Test (finger prick)	“Closed” Reverse Transcription Polymerase Chain Reaction (RT-PCR) Test (nose & throat swabs)	“Open” Reverse Transcription Polymerase Chain Reaction (RT-PCR) Test (swabs or sputum)
<b>Description</b>	A nasopharyngeal swab to detect the presence of the SARS-CoV-2 virus antigens, within the early stages of acute infection.	A finger prick test to detect antibodies in blood, in response to infection with SARS-CoV-2. This antibody response can take several days to develop after an infection.	An automated portable point-of-care PCR test, from nose and throat swabs collected from patient, that is as accurate as a pathology test conducted in a laboratory.  Fully automated, small and portable testing system. Can be run 24 hours and deliver fast, reliable and accurate results.	A polymerase chain reaction (PCR) test based on specific detection of the SARS-CoV-2 virus from nasal or throat swabs, and lower respiratory tract specimens collected from patients.  This test is performed by trained staff in a laboratory.  PCR tests are considered to be the gold standard for diagnosis of COVID-19.
<b>Limitations</b>	Antigen-detection tests for COVID-19 are less sensitive than PCR. The optimal time to test is within the first 5-7 days following onset of symptoms.  In some circumstances – testing of asymptomatic individuals or if turnaround times are prolonged - healthcare providers may consider the using COVID-19 Rapid Antigen Tests even if they are not specifically authorised for this use (commonly referred to as “off label use”).	Serological tests for coronaviruses are prone to cross-reaction to antibodies produced against circulating seasonal human coronavirus infections which cause a common cold illness. This can result in false positive results and the patient remains susceptible to SARS-CoV-2 infection. If the patient is tested early in the infection before antibodies develop, a false negative result can end in an infected patient being excluded or not further investigated.  Confirmatory testing by qPCR will still be required for patients presenting with symptoms 5-7 days following onset of symptoms and a negative result as well as patients who present with symptoms for less than a week and a positive result.	Low throughput Relatively more expensive per test Requires supervision from a pathologist from an accredited medical testing laboratory	Must be performed in accredited medical testing laboratory Takes several hours to generate results Requires complex equipment and trained laboratory technicians to run
<b>Time to result</b>	15-30 minutes	15 minutes	45 minutes	5+ hours
<b>Number of tests per day</b>	1 test per device. The number of tests per days is determined by available human resources	1 test per device. The number of tests per days is determined by available human resources	Approximately 4-16 tests per test cycle can be run on a single module instrument	500-1200 tests per system per day Varies by system
<b>Setting</b>	Certified health professionals	Primarily research and surveillance use; not for diagnostic purposes	Emergency departments	Accredited laboratories
<b>Devices listed on the Australian Register of Therapeutic Goods (ARTG)</b>	The current COVID-19 Ag-RDT that meets the WHO Emergency Use Listing is the SD Biosensor Standard Q COVID-19 Ag Test. It is predicted that the Abbott BinaxNOW COVID-19 Ag Card will also be approved by WHO for use.  Point-of-care lateral flow devices listed on ARTG in Australia <ul style="list-style-type: none"> <li>CareStart COVID-19 Antigen</li> <li>BD Veritor System for Rapid Detection of SARS-CoV-2</li> <li>NowCheck COVID-19 Antigen Test</li> <li>Sofia SARS Antigen FIA</li> </ul>	<ul style="list-style-type: none"> <li>AM diagnostics 2019-n-CoV</li> <li>APAC Security COVID-19</li> <li>MD solutions Onsite COVID-19</li> <li>Wondfo Promedical</li> <li>VivaDiag (Endo X Pty Ltd)</li> </ul>	- Cepheid GeneXpert	<ul style="list-style-type: none"> <li>ThermoFisher (China, USA, Europe)</li> <li>Roche (Switzerland, Germany)</li> <li>Hologic (USA)</li> <li>Seegene (China)</li> <li>Qiagen (Switzerland)</li> <li>Icon (China)</li> <li>Beckton Dickenson</li> <li>Life Technologies</li> <li>AusDiagnostics (Australia)</li> </ul>

Updated Jan 2021